AMENDMENTS TO THE CLAIMS:

Please change the heading at page 109, line 1, from "Patent claims" to --WHAT IS CLAIMED IS:--

The following listing of claims will replace all prior versions of claims in the application.

Claims 1-18 (canceled)

- -- Claim 19 (new): A synergistic fungicidal active compound combination comprising
- (1) a carboxamide of the formula (I) (group 1)

$$A \xrightarrow{N} H_{3}C \xrightarrow{CH_{3}} CH_{3}$$
 (I)

in which

R¹ represents hydrogen, halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

A represents one of the radicals A1 to A8

A1

$$R^3$$
 N
 N
 R^4
 R^5
 R^5
 R^6
 R^6
 R^6
 R^6
 R^8
 R^{10}
 R^{10}

 R^2 represents C_1 - C_3 -alkyl,

R³ represents hydrogen, halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

 R^4 represents hydrogen, halogen or C_1 - C_3 -alkyl,

R⁵ represents halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

- R⁶ represents hydrogen, halogen, C₁-C₃-alkyl, amino, or mono- or di(C₁-C₃-alkyl)amino,
- represents hydrogen, halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,
- R⁸ represents halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,
- R⁹ represents halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms, and
- R¹⁰ represents hydrogen, halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

and at least one active compound selected from groups (2) to (24)

(2) a strobilurin of formula (II)

in which

A¹ represents one of the groups

$$H_3CO^{-A_3^3}C^{-CH_3}O^{-N_3}C^{-N_3}C^{-N_3}O^{-N_3}C^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N_3}O^{-N$$

- A² represents NH or O,
- A³ represents N or CH,
- L represents one of the groups

where the bond marked with an asterisk (*) is attached to the phenyl ring of formula (II),

R¹¹ represents phenyl, phenoxy, or pyridinyl, each of which is optionally mono- or disubstituted by identical or different substituents selected from the group consisting of chlorine, cyano, methyl, and trifluoromethyl; represents 1-(4-chlorophenyl)-pyrazol-3-yl; or represents 1,2-propanedione-bis(O-methyloxime)-1-yl, and

R¹² represents hydrogen or fluorine;

(3) a triazole of formula (III)

$$R^{13} \xrightarrow{R^{14}} A^{4} \xrightarrow{R^{15}} A^{4} \xrightarrow{A^{5}} R^{16}$$

$$(CH_{2})_{m}$$

$$Q \xrightarrow{N}_{N} N$$
(III)

in which

Q represents hydrogen or SH,

m represents 0 or 1,

R¹³ represents hydrogen, fluorine, chlorine, phenyl, or 4-chlorophenoxy,

R¹⁴ represents hydrogen or chlorine,

represents a direct bond, -CH₂-, -(CH₂)₂-, or -O-; or represents

*-CH₂-CHR¹⁷- or *-CH=CR¹⁷-, where the bond marked with * is
attached to the phenyl ring of formula (III) and R¹⁵ and R¹⁷ together
represent -CH₂-CH₂-CH[CH(CH₃)₂]- or -CH₂-CH₂-C(CH₃)₂-,

A⁵ represents C or Si (silicon), or

A⁴ represents -N(R¹⁷)- and A⁵ together with R¹⁵ and R¹⁶ represents the group C=N-R¹⁸ and R¹⁷ and R¹⁸ together represent the group

R¹⁵ represents hydrogen, hydroxyl, or cyano,

R¹⁶ represents 1-cyclopropylethyl, 1-chlorocyclopropyl, C₁-C₄-alkyl, C₁-C₆-hydroxyalkyl, C₁-C₄-alkylcarbonyl, C₁-C₂-haloalkoxy-C₁-C₂-alkyl, trimethylsilyl-C₁-C₂-alkyl, monofluorophenyl, or phenyl, or

R¹⁵ and R¹⁶ together represent -O-CH₂-CH(R¹⁸)-O-, -O-CH₂-CH(R¹⁸)-CH₂-, or -O-CH-(2-chlorophenyl)-, and

R¹⁸ represents hydrogen, C₁-C₄-alkyl, or bromine;

(4) a sulphenamide of formula (IV)

$$R^{19} \xrightarrow{FCI_2C} \overset{S}{\underset{CH_3}{}}$$
 (IV)

in which R¹⁹ represents hydrogen or methyl;

- (5) a valinamide selected from the group consisting of
 - (5-1) iprovalicarb,
 - (5-2) N^1 -[2-(4-{[3-(4-chlorophenyl)-2-propynyl]oxy}-3-methoxyphenyl)ethyl]- N^2 -(methylsulphonyl)-D-valinamide, and
 - (5-3) benthiavalicarb;
- (6) a carboxamide of formula (V)

$$x \stackrel{\circ}{\downarrow}_{Y} Y_{z} \qquad (V)$$

in which

- represents 2-chloro-3-pyridinyl; represents 1-methylpyrazol-4-yl that is substituted in the 3-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine; represents 4-ethyl-2-ethylamino-1,3-thiazol-5-yl; represents 1-methyl-cyclohexyl; represents 2,2-dichloro-1-ethyl-3-methylcyclopropyl; represents 2-fluoro-2-propyl; represents phenyl that is mono- to trisubstituted by identical or different substituents selected from the group consisting of chlorine and methyl; represents 3,4-dichloroisothiazol-5-yl, 5,6-dihydro-2-methyl-1,4-oxathiin-3-yl, 4-methyl-1,2,3-thiadiazol-5-yl, 4,5-dimethyl-2-trimethylsilyl-thiophen-3-yl, or 1-methylpyrrol-3-yl that is substituted in the 4-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine,
- Y represents a direct bond; represents C₁-C₆-alkanediyl (alkylene) that is optionally substituted by chlorine, cyano, or oxo; represents thiophenediyl; or represents C₂-C₆-alkenediyl (alkenylene),

Z represents hydrogen; represents C₁-C₆-alkyl; or represents the group

$$R^{20}$$
 R^{21}

in which

A⁶ represents CH or N,

R²⁰ represents hydrogen, chlorine, phenyl that is optionally mono- or disubstituted by identical or different substituents selected from the group consisting of chlorine and di(C₁-C₃-alkyl)aminocarbonyl; or represents cyano or C₁-C₆-alkyl,

R²¹ represents hydrogen or chlorine, or

 R^{20} and R^{21} together represent *-CH(CH₃)-CH₂-C(CH₃)₂- or *-CH(CH₃)-O-C(CH₃)₂- where the bond marked with * is attached to R^{20} , and

R²² represents hydrogen, chlorine, hydroxyl, methyl, or trifluoromethyl; or represents di(C₁-C₃-alkyl)aminocarbonyl;

- (7) a dithiocarbamate selected from the group consisting of
 - (7-1) mancozeb,
 - (7-2) maneb,
 - (7-3) metiram,
 - (7-4) propineb,
 - (7-5) thiram,
 - (7-6) zineb, and
 - (7-7) ziram;
- (8) an acylalanine of formula (VI)

$$\begin{array}{c|c} H_3C & CO_2CH_3 \\ CH_3 & * \\ & & \\ CH_3 & \\ & & \\ \end{array}$$
 (VI)

in which

* marks a carbon atom in the R or the S configuration, and R²³ represents benzyl, furyl, or methoxymethyl;

(9) an anilinopyrimidine of formula (VII)

$$\begin{array}{c|c}
H \\
N \\
N \\
CH_3
\end{array}$$
(VII)

in which R²⁴ represents methyl, cyclopropyl, or 1-propynyl;

(10) a benzimidazole of formula (VIII)

in which

R²⁵ and R²⁶ each represent hydrogen or together represent -O-CF₂-O-,

R²⁷ represents hydrogen, C₁-C₄-alkylaminocarbonyl, or 3,5-dimethylisoxazol-4-ylsulphonyl, and

R²⁸ represents chlorine, methoxycarbonylamino, chlorophenyl, furyl, or thiazolyl;

(11) a carbamate of formula (IX)

$$R^{29} \underset{O}{ } \underset{N}{ } R^{30}$$
 (IX)

or a salt thereof,

in which

R²⁹ represents n- or isopropyl, and

R³⁰ represents di(C₁-C₂-alkyl)amino-C₂-C₄-alkyl or diethoxyphenyl,

- (12) a dicarboximide selected from the group consisting of
 - (12-1) captafol,
 - (12-2) captan,
 - (12-3) folpet,
 - (12-4) iprodione,
 - (12-5) procymidone, or
 - (12-6) vinclozolin;
- (13) a guanidine selected from the group consisting of (13-1) dodine,

(13-2) guazatine,

(13-3) iminoctadine triacetate, and

(13-4) iminoctadine tris(albesilate);

(14) an imidazole selected from the group consisting of

(14-1) cyazofamid,

(14-2) prochloraz,

(14-3) triazoxide, and

(14-4) pefurazoate;

(15) a morpholine of formula (X)

$$R^{32}$$
 $N-R^{33}$
 (X)

in which

R³¹ and R³² independently of one another represent hydrogen or methyl,

R³³ represents C₁-C₁₄-alkyl, C₅-C₁₂-cycloalkyl, phenyl-C₁-C₄-alkyl that is optionally substituted in the phenyl moiety by halogen or C₁-C₄-alkyl; or represents acrylyl that is substituted by chlorophenyl or dimethoxyphenyl;

(16) a pyrrole of general formula (XI)

$$\begin{array}{c} R^{35} \\ R^{34} \end{array} \qquad (XI)$$

in which

R³⁴ represents chlorine or cyano,

R³⁵ represents chlorine or nitro, and

R³⁶ represents chlorine, or

R³⁵ and R³⁶ together represent -O-CF₂-O-;

(17) a phosphonate selected from the group consisting of

(17-1) fosetyl-Al, and

(17-2) phosphonic acid;

(18) a phenylethanamide of formula (XII)

in which R³⁷ represents unsubstituted or fluorine-, chlorine-, bromine-, methyl-, or ethyl-substituted phenyl, 2-naphthyl, 1,2,3,4-tetrahydronaphthyl, or indanyl;

- (19) a fungicides selected from the group consisting of
 - (19-1) acibenzolar-S-methyl,
 - (19-2) chlorothalonil,
 - (19-3) cymoxanil,
 - (19-4) edifenphos,
 - (19-5) famoxadone,
 - (19-6) fluazinam,
 - (19-7) copper oxychloride,
 - (19-8) copper hydroxide,
 - (19-9) oxadixyl,
 - (19-10) spiroxamine,
 - (19-11) dithianon,
 - (19-12) metrafenone,
 - (19-13) fenamidone,
 - (19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one,
 - (19-15) probenazole,
 - (19-16) isoprothiolane,
 - (19-17) kasugamycin,
 - (19-18) phthalide,
 - (19-19) ferimzone,
 - (19-20) tricyclazole,
 - (19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide, and
 - (19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide;

- (20) a (thio)urea derivative selected from the group consisting of
 - (20-1) pencycuron,
 - (20-2) thiophanate-methyl, and
 - (20-3) thiophanate-ethyl;
- (21) an amide of formula (XIII)

$$CI \longrightarrow A^7 \longrightarrow A^8 \longrightarrow R^{38}$$

$$CH_3 \longrightarrow CN$$
(XIII)

in which

A⁷ represents a direct bond or -O-,

A⁸ represents -C(=O)NH- or -NHC(=O)-,

R³⁸ represents hydrogen or C₁-C₄-alkyl, and

R³⁹ represents C₁-C₆-alkyl;

(22) a triazolopyrimidine of formula (XIV)

in which

R⁴⁰ represents C₁-C₆-alkyl or C₂-C₆-alkenyl,

 R^{41} represents C_1 - C_6 -alkyl, or

 R^{40} and R^{41} together represent C_4 - C_5 -alkanediyl (alkylene) that is mono- or disubstituted by C_1 - C_6 -alkyl,

R⁴² represents bromine or chlorine,

R⁴³ and R⁴⁷ independently of one another represent hydrogen, fluorine, chlorine, or methyl,

R⁴⁴ and R⁴⁶ independently of one another represent hydrogen or fluorine, and R⁴⁵ represents hydrogen, fluorine or methyl;

(23) an iodochromone of general formula (XV)

in which

R⁴⁸ represents C₁-C₆-alkyl, and

R⁴⁹ represents C₁-C₆-alkyl, C₂-C₆-alkenyl or C₂-C₆-alkynyl; and

(24) a biphenylcarboxamide of formula (XVI)

Het
$$\mathbb{R}^{50}$$
 \mathbb{R}^{50} \mathbb{R}^{52} \mathbb{R}^{52}

in which

R⁵⁰ represents hydrogen or fluorine,

R⁵¹ represents fluorine, chlorine, bromine, methyl, trifluoromethyl, trifluoromethoxy, -CH=N-OMe, or -C(Me)=N-OMe,

R⁵² represents hydrogen, fluorine, chlorine, bromine, methyl, or trifluoromethyl,

Het represents one of the radicals Het1 to Het7

$$R^{53}$$
 R^{54}
 R^{54}
 R^{54}
 R^{55}
 R^{56}
 R^{57}
 R

R⁵³ represents iodine, methyl, difluoromethyl, or trifluoromethyl,

R⁵⁴ represents hydrogen, fluorine, chlorine, or methyl,

R⁵⁵ represents methyl, difluoromethyl, or trifluoromethyl,

R⁵⁶ represents chlorine, bromine, iodine, methyl, difluoromethyl, or trifluoromethyl, and

R⁵⁷ represents methyl or trifluoromethyl.

Claim 20 (new): A synergistic fungicidal active compound combination according to Claim 19 in which, for the carboxamide of formula (I),

- R¹ represents hydrogen, fluorine, chlorine, methyl, ethyl, n-, isopropyl, monofluoromethyl, difluoromethyl, trifluoromethyl, monochloromethyl, dichloromethyl, or trichloromethyl,
- A represents one of the radicals A1 to A5

A1 A2 A3 A4 A5

$$\stackrel{R^3}{\underset{R^2}{\bigvee}} R^4$$
, $\stackrel{R^5}{\underset{R^5}{\bigvee}} R^6$, $\stackrel{R^7}{\underset{R^6}{\bigvee}} S$, $\stackrel{R^8}{\underset{R^8}{\bigvee}} R^8$, or $\stackrel{S}{\underset{R^9}{\bigvee}} R^9$

- R² represents methyl, ethyl, or n- or isopropyl,
- R³ represents iodine, methyl, difluoromethyl, or trifluoromethyl,
- R⁴ represents hydrogen, fluorine, chlorine, or methyl,
- R⁵ represents chlorine, bromine, iodine, methyl, difluoromethyl, or trifluoromethyl,
- R⁶ represents hydrogen, chlorine, methyl, amino, or dimethylamino,
- R⁷ represents methyl, difluoromethyl, or trifluoromethyl,
- R⁸ represents bromine or methyl, and
- R⁹ represents methyl or trifluoromethyl.

Claim 21 (new): A synergistic fungicidal active compound combination according to Claim 19 where the active compound of groups (2) to (24) is one or more compounds selected from the group consisting of

- (2-1) azoxystrobin,
- (2-2) fluoxastrobin,
- (2-3) (2*E*)-2-(2-{[6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy}phenyl)-2-(methoxyimino)-*N*-methylethanamide,
- (2-4) trifloxystrobin,
- (2-5) (2E)-2-(methoxyimino)-N-methyl-2-(2-{[({(1E)-1-[3-(trifluoromethyl)-phenyl]ethyliden}amino)oxy]methyl}phenyl)ethanamide,
- (2-6) (2E)-2-(methoxyimino)-*N*-methyl-2-{2-[(E)-({1-[3-(trifluoromethyl)phenyl}-ethoxy}imino)methyl]phenyl}ethanamide,
- (2-7) orysastrobin,

- (2-8) 5-methoxy-2-methyl-4-(2-{[({(1*E*)-1-[3-(trifluoromethyl)phenyl]ethyliden}-amino)oxy]methyl}phenyl)-2,4-dihydro-3*H*-1,2,4-triazol-3-one,
- (2-9) kresoxim-methyl,
- (2-10) dimoxystrobin,
- (2-11) picoxystrobin,
- (2-12) pyraclostrobin,
- (2-13) metominostrobin,
- (3-1) azaconazole,
- (3-2) etaconazole,
- (3-3) propiconazole,
- (3-4) difenoconazole,
- (3-5) bromuconazole,
- (3-6) cyproconazole,
- (3-7) hexaconazole,
- (3-8) penconazole,
- (3-9) myclobutanil,
- (3-10) tetraconazole,
- (3-11) flutriafol,
- (3-12) epoxiconazole,
- (3-13) flusilazole,
- (3-14) simeconazole,
- (3-15) prothioconazole,
- (3-16) fenbuconazole,
- (3-17) tebuconazole,
- (3-18) ipconazole,
- (3-19) metconazole,
- (3-20) triticonazole,
- (3-21) bitertanol,
- (3-22) triadimenol,
- (3-23) triadimefon,
- (3-24) fluquinconazole,
- (3-25) quinconazole,
- (4-1) dichlofluanid,

- (4-2) tolylfluanid,
- (5-1) iprovalicarb,
- (5-3) benthiavalicarb,
- (6-1) 2-chloro-N-(1,1,3-trimethylindan-4-yl)nicotinamide,
- (6-2) boscalid,
- (6-3) furametpyr,
- (6-4) N-(3-p-tolylthiophen-2-yl)-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxamide,
- (6-5) ethaboxam,
- (6-6) fenhexamid,
- (6-7) carpropamid,
- (6-8) 2-chloro-4-(2-fluoro-2-methylpropionylamino)-N,N-dimethylbenzamide,
- (6-9) picobenzamid,
- (6-10) zoxamide,
- (6-11) 3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide,
- (6-12) carboxin,
- (6-13) tiadinil,
- (6-14) penthiopyrad,
- (6-15) silthiofam,
- (6-16) *N*-[2-(1,3-dimethylbutyl)phenyl]-1-methyl-4-(trifluoromethyl)-1*H*-pyrrole-3-carboxamide,
- (7-1) mancozeb,
- (7-2) maneb,
- (7-3) metiram,
- (7-4) propineb,
- (7-5) thiram,
- (7-6) zineb,
- (7-7) ziram,
- (8-1) benalaxyl,
- (8-2) furalaxyl,
- (8-3) metalaxyl,
- (8-4) metalaxyl-M,
- (8-5) benalaxyl-M,

- (9-1) cyprodinil,
- (9-2) mepanipyrim,
- (9-3) pyrimethanil,
- (10-1) 6-chloro-5-[(3,5-dimethylisoxazol-4-yl)sulphonyl]-2,2-difluoro-5H-[1,3]dioxolo[4,5-f]benzimidazole,
- (10-2) benomyl,
- (10-3) carbendazim,
- (10-4) chlorfenazole,
- (10-5) fuberidazole,
- (10-6) thiabendazole,
- (11-1) diethofencarb,
- (11-2) propamocarb,
- (11-3) propamocarb-hydrochloride,
- (11-4) propamocarb-fosetyl,
- (12-1) captafol,
- (12-2) captan,
- (12-3) folpet,
- (12-4) iprodione,
- (12-5) procymidone,
- (12-6) vinclozolin,
- (13-1) dodine,
- (13-2) guazatine,
- (13-3) iminoctadine triacetate,
- (14-1) cyazofamid,
- (14-2) prochloraz,
- (14-3) triazoxide,
- (14-4) pefurazoate,
- (15-1) aldimorph,
- (15-2) tridemorph,
- (15-3) dodemorph,
- (15-4) fenpropimorph,
- (15-5) dimethomorph,
- (16-1) fenpiclonil,

- (16-2) fludioxonil,
- (16-3) pyrrolnitrin,
- (17-1) fosetyl-Al,
- (17-2) phosphonic acid,
- (18-1) 2-(2,3-dihydro-1H-inden-5-yl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-2) N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-2-(5,6,7,8-tetrahydronaphthalen-2-yl)acetamide,
- (18-3) 2-(4-chlorophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide,
- (18-4) 2-(4-bromophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide,
- (18-5) 2-(4-methylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide,
- (18-6) 2-(4-ethylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-acetamide,
- (19-1) acibenzolar-S-methyl,
- (19-2) chlorothalonil,
- (19-3) cymoxanil,
- (19-4) edifenphos,
- (19-5) famoxadone,
- (19-6) fluazinam,
- (19-7) copper oxychloride,
- (19-9) oxadixyl,
- (19-10) spiroxamine,
- (19-11) dithianon,
- (19-12) metrafenone,
- (19-13) fenamidone,
- (19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one,
- (19-15) probenazole,
- (19-16) isoprothiolane,
- (19-17) kasugamycin,
- (19-18) phthalide,

- (19-19) ferimzone,
- (19-20) tricyclazole,
- (19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide,
- (19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2- (prop-2-yn-1-yloxy)acetamide,
- (20-1) pencycuron,
- (20-2) thiophanate-methyl,
- (20-3) thiophanate-ethyl,
- (21-1) fenoxanil,
- (21-2) diclocymet,
- (22-1) 5-chloro-*N*-[(1S)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluoro-phenyl)[1,2,4]triazolo[1,5-a]pyrimidine-7-amine,
- (22-2) 5-chloro-*N*-[(1R)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo-[1,5-a]pyrimidine-7-amine,
- (22-3) 5-chloro-6-(2-chloro-6-fluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo-[1,5-a]pyrimidine,
- (22-4) 5-chloro-6-(2,4,6-trifluorophenyl)-7-(4-methylpiperidin-1-yl)[1,2,4]triazolo-[1,5-a]pyrimidine,
- (23-1) 2-butoxy-6-iodo-3-propylbenzopyran-4-one,
- (23-2) 2-ethoxy-6-iodo-3-propylbenzopyran-4-one,
- (23-3) 6-iodo-2-propoxy-3-propylbenzopyran-4-one,
- (23-4) 2-but-2-ynyloxy-6-iodo-3-propylbenzopyran-4-one,
- (23-5) 6-iodo-2-(1-methylbutoxy)-3-propylbenzopyran-4-one,
- (23-6) 2-but-3-enyloxy-6-iodobenzopyran-4-one,
- (23-7) 3-butyl-6-iodo-2-isopropoxybenzopyran-4-one,
- (24-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-2) 3-(difluoromethyl)-N-{3'-fluoro-4'-[(E)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1H-pyrazole-4-carboxamide,
- (24-3) 3-(trifluoromethyl)-N-{3'-fluoro-4'-[(E)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1H-pyrazole-4-carboxamide,
- (24-4) *N*-(3',4'-dichloro-1,1'-biphenyl-2-yl)-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide,

- (24-5) *N*-(4'-chloro-3'-fluoro-1,1'-biphenyl-2-yl)-2-methyl-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide,
- (24-6) *N*-(4'-chloro-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide,
- (24-7) *N*-(4'-bromo-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide, and
- (24-8) 4-(difluoromethyl)-2-methyl-*N*-[4'-(trifluoromethyl)-1,1'-biphenyl-2-yl]-1,3-thiazole-5-carboxamide.

Claim 22 (new): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-8) 5-fluoro-1,3-dimethyl-*N*-[2-(1,3,3-tri-methylbutyl)phenyl]-1*H*-pyrazole-4-carboxamide.

Claim 23 (new): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-8) 5-fluoro-1,3-dimethyl-*N*-[2-(1,3,3-trimethylbutyl)phenyl]-1*H*-pyrazole-4-carboxamide and at least one active compound selected from groups (2) to (24).

Claim 24 (new): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-2) *N*-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide.

Claim 25 (new): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-2) *N*-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide and at least one active compound selected from groups (2) to (24).

Claim 26 (new): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-15) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-(tri-fluoromethyl)benzamide.

Claim 27 (new): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-15) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-CS8786

- 19 -

(trifluoromethyl)benzamide and at least one active compound selected from groups (2) to (24).

Claim 28 (new): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-13) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-iodobenzamide.

Claim 29 (new): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-13) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-iodobenzamide and at least one active compound selected from groups (2) to (24).

Claim 30 (new): A method comprising applying an effective amount of an active compound combination according to Claim 19 to seed.

Claim 31 (new): Seed treated with a synergistic fungicidal active compound combination according to Claim 19.

Claim 32 (new): A method of controlling unwanted phytopathogenic fungi comprising applying an effective amount of one or more active compound combinations according to Claim 19 to the unwanted phytopathogenic fungi and/or their habitat and/or seed for which such control is desired.

Claim 33 (new): A method of protecting transgenic plants from unwanted phytopathogenic fungi comprising applying an effective amount of an active compound combination according to Claim 19 to the transgenic plants and/or their habitat.

Claim 34 (new): A method according to Claim 30 wherein the seed is the seed of a transgenic plant.

Claim 35 (new): A process for preparing fungicidal compositions comprising mixing one or more active compound combinations according to Claim 19 with one or more extenders and/or surfactants. --

CS8786 - 20 -